

Message

---

**From:** Duvil, Ricardi [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=7B07DBC66AFD4B20A424696E8E0DEBF7-DUVIL, RICA]  
**Sent:** 10/31/2019 8:28:17 PM  
**To:** Baron, Adam [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=563ef058707d4930868c6cf1e0828a43-Baron, Adam]  
**Subject:** RE: Analysis Report and Invoice B9J3002

Sounds good.

Cheers,

**Ricardi Duvil, Ph.D., P.E.**  
Environmental Engineer  
U.S. Environmental Protection Agency  
Division of Water  
Drinking Water and Groundwater Section, Region 10  
1200 Sixth Ave., Suite 155, OWW-193  
Seattle, WA 98101  
Phone: (206)-553-2578  
Fax: (206)-553-1280

---

**From:** Baron, Adam <Baron.Adam@epa.gov>  
**Sent:** Thursday, October 31, 2019 1:28 PM  
**To:** Duvil, Ricardi <duvil.ricardi@epa.gov>  
**Subject:** RE: Analysis Report and Invoice B9J3002

Check. Sending now. See in 30 min.



**Adam Baron**  
Drinking Water Enforcement Officer  
Field, Data, & Drinking Water Enforcement Section  
Enforcement and Compliance Assurance Division  
U.S. Environmental Protection Agency, Region 10  
1200 Sixth Avenue, Suite 155  
Seattle, Washington 98101  
Office (206) 553-6361  
[baron.adam@epa.gov](mailto:baron.adam@epa.gov)

---

---

**From:** Duvil, Ricardi <[duvil.ricardi@epa.gov](mailto:duvil.ricardi@epa.gov)>  
**Sent:** Thursday, October 31, 2019 1:27 PM  
**To:** Baron, Adam <Baron.Adam@epa.gov>  
**Subject:** RE: Analysis Report and Invoice B9J3002

I don't have any concerns with the results. So, I agree with your decision.

Cheers,

**Ricardi Duvil, Ph.D., P.E.**

Environmental Engineer  
U.S. Environmental Protection Agency  
Division of Water  
Drinking Water and Groundwater Section, Region 10  
1200 Sixth Ave., Suite 155, OWW-193  
Seattle, WA 98101  
Phone: (206)-553-2578  
Fax: (206)-553-1280

---

**From:** Baron, Adam <Baron.Adam@epa.gov>  
**Sent:** Thursday, October 31, 2019 1:16 PM  
**To:** Duvil, Ricardi <duvil.ricardi@epa.gov>  
**Subject:** FW: Analysis Report and Invoice B9J3002  
**Importance:** High

I about to send an email confirming EPA agrees WS should lift the BWN. They've sent two sets of samples, 5 above and 5 below w/ absent e.coli and total coliforms and residual chlorines above .2 most above .5. Let me know if you disagree. Sending the email in next 20 min.



**Adam Baron**

Drinking Water Enforcement Officer  
Field, Data, & Drinking Water Enforcement Section  
Enforcement and Compliance Assurance Division  
U.S. Environmental Protection Agency, Region 10  
1200 Sixth Avenue, Suite 155  
Seattle, Washington 98101  
Office (206) 553-6361  
[baron.adam@epa.gov](mailto:baron.adam@epa.gov)

---

**From:** Chico Holliday <[chico.holliday@wstribes.org](mailto:chico.holliday@wstribes.org)>  
**Sent:** Thursday, October 31, 2019 1:09 PM  
**To:** Travis Wells <[travis.wells@wstribes.org](mailto:travis.wells@wstribes.org)>; Baron, Adam <Baron.Adam@epa.gov>; Michele Stacona <[michele.stacona@wstribes.org](mailto:michele.stacona@wstribes.org)>; Duvil, Ricardi <duvil.ricardi@epa.gov>  
**Subject:** Fwd: Analysis Report and Invoice B9J3002

results

**Chico Holliday**  
**Water/wastewater Supervisor**  
**541-460-2707 (c)**  
**541-615-0962 (w)**  
[chico.holliday@wstribes.org](mailto:chico.holliday@wstribes.org)

----- Forwarded message -----

From: **dphillips** <[dphillips@urcmail.net](mailto:dphillips@urcmail.net)>  
Date: Thu, Oct 31, 2019 at 10:52 AM  
Subject: Analysis Report and Invoice B9J3002

To: <[chico.holliday@wstribes.org](mailto:chico.holliday@wstribes.org)>

Cc: <[pubutil@wstribes.org](mailto:pubutil@wstribes.org)>

Good Morning,

Thank you for choosing us for your testing needs. I have attached your water report and invoice. Please email me if you have any questions. Have a great day!

Thanks,

Dan Phillips  
Laboratory Manager  
Umpqua Research Company  
541-312-9454

\* The content of this email is intended solely for the use of the person(s) to whom it is addressed. The content of this email may be confidential; sharing any portion with any third party is strictly prohibited. If you have received this message by mistake, please notify the sender and delete the email. We thank you for your understanding and cooperation.

Visit [www.umpquaresearch.com/index.php/feedback](http://www.umpquaresearch.com/index.php/feedback) to provide feedback on our service.

---

Electronic Privacy Statement. This e-mail message, including any attachments, is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged and/or confidential. If you are not the intended recipient or the employee or agent responsible for delivering the communication to the intended recipient, please notify us immediately by replying to this message and then delete this message from your system. You are hereby notified that any use, dissemination, distribution and/or reproduction of this message and/or any attachments by unintended recipients is unauthorized and may be unlawful.